JH Water
TECHNOLOGY & CONSULTANCY

JH Water Technology & Consultancy
68, Triq Il-Kurunell Lorenzo Manche', Pembroke, PBK 1112
VAT No.: 3151 3037
M: +356 9949 0739 T: +356 2137 3194 E: info@jhwatertec.com

CERTIFICATE OF ANALYSIS

Client:
Attn: Joseph Saliba
Ramla Bay Resort,
Marfa, L/O Mellieha

Issue date: 14th October 2026
Report No. 262481

Analytical Results

Sample Description: Domestic Cold Water (RO)
R.O. Reg. No. RO DEH/PWS 034002

Sampling Date: 30th September 2026

Parameter	Result	Parametric Value
Aluminium	< 10 µg/l	<200 µg/l
Ammonium	0.03 mg/l	< 0.5 mg/l
Chloride	68 mg/l	< 250 mg/l
Colour	1 PCU	< 15 PCU
Conductivity	635.1 µS/cm	< 2500 µS/cm
pH	7.16	6.5 – 9.5
Iron	< 10 µg/l	<200 µg/l
Manganese	< 10 µg/l	<50 µg/l
Odour	Acceptable	No abnormal change
Oxidisability	< 0.1 mg/l O_2	<5.0 mg/l O_2
Sulphate	10 mg/l	< 250 mg/l
Sodium	45 mg/l	< 200 mg/l
Taste	Acceptable	No abnormal change
Turbidity	0.33 NTU	No abnormal change
Nitrite	0.05 mg/l	< 0.5 mg/l
Nitrate	2.9 mg/l	< 50 mg/l
Boron	0.24 mg/l	< 1 mg/l

Julie Haider
B.Sc. (Hons) MLS; M.Sc. Biomed Science (Melit)
Medical & Industrial Laboratory Scientist

JH Water
TECHNOLOGY & CONSULTANCY

JH Water Technology & Consultancy
68, Triq Il-Kurunell Lorenzo Manche', Pembroke, PBK 1112
VAT No.: 3151 3037
M: +356 9949 0739 T: +356 2137 3194 E: info@jhwatertec.com

CERTIFICATE OF ANALYSIS

Report No. 262481/ 2

Analytical Results

Sample Description: Domestic Cold Water (RO) **Sampling Date:** 30th September 2026

R.O. Reg. No. RO DEH/PWS 034002

Parameter	Result	Parametric Value
Calcium	70 mg/l as $CaCO_3$	-
Total Hardness	35 mg/l as $CaCO_3$	-
Magnesium	3.6 mg/l	-
Potassium	2.5 mg/l	-

Parameter	Result	Parametric Value
Total Bacteria count at 22°C	Nil	<20 cfu/ml
Total Coliform count	Nil	Nil
Escherichia coli	Nil	Nil
Intestinal Enterococci	Nil	Nil / 100ml

Remarks:

The water collected complies with the relevant parametric values laid down in L.N. 297 of 2023 for water intended for human consumption.

Julie Haider
B.Sc. (Hons) MLS; M.Sc. Biomed Science (Melit)
Medical & Industrial Laboratory Scientist